

Compressed Air Interchangeable Elements ultrafilter 80 and 90 Series

Engineering Data Sheet



Description

The Par<>Fit design offers a comprehensive range of interchangeable filter elements from Parker, one of the world's leading manufacturer of compressed air treatment equipment with worldwide availability. Latest technologies, exceeding quality and service provide reliable performance, matching yet often surpassing the efficiency of original equipment manufacturer's elements.

Area of Application

Element Grade	Area of Application
V-PE/V-SB PE/SB	High-capacitive surface filtration by pleated filter fabric for coarse separation of solid particulate.
FF	High-capacitive coalescing depth filtration by two-layered pleated filter fabric for general purpose separation of solid and liquid particulate.
MF/SMF	
AK	Adsorptive separation of oil vapours and odours by pleated filter fabric.

Calculated Performance Criteria

Criteria according to:	V-PE/V-SB/PE/SB	FF	MF/SMF	AK
Flow medium	Compressed air and gaseous Nitrogen.			
Flow direction	Out to in	In to out	In to out	In to out
Operating temperature	1.5 - 80°C	1.5 - 80°C	1.5 - 80°C	1.5 - 40°C
Generic fineness	< 3 µm	< 1 µm	< 0.01 µm	n/a
Differential pressure - dry	20 mbar	30 mbar	60 mbar	30 mbar
Differential pressure - wet	70 mbar	100 mbar	150 mbar	n/a
Residual aerosol concentration	n/a	< 0.5 mg/m ³	< 0.01 mg/m ³	n/a
Residual oil concentration	n/a	n/a	n/a	< 0.003 mg/m ³

Materials of Construction

Criteria according to:	V-PE/V-SB/PE/SB	FF	MF/SMF	AK
Filter media	Cellulose fibre, coated	Borosilicate glass fibre		Activated woven carbon cloth
Support cylinders	Stainless perforated steel			
End caps	Aluminium			
Seals	High nitrile rubber			
Anti re-entrainment barrier	Polyester			
Adhesive	Two part polyurethane resin			

Cross-References

OEM Ref.	PAR<=>FIT Ref.	Qty	OEM Ref.	PAR<=>FIT Ref.	Qty	OEM Ref.	PAR<=>FIT Ref.	Qty
Activated Carbon Elements								
AC02/05	PR2091355	1	AK07/25	PR2091410	1	90A-03/10	PR2091370	1
AC03/05	PR2091356	1	AK07/30	PR2091420	1	90A-04/10	PR2091375	1
AC03/10	PR2091370	1	AK10/3	PR2090410	1	90A-04/20	PR2091380	1
AC04/10	PR2091375	1	AK10/30	PR2091430	1	90A-05/20	PR2091390	1
AC04/20	PR2091380	1	AK15/3	PR2090420	1	90A-05/25	PR2091400	1
AC05/20	PR2091390	1	AK15/30	PR2091440	1	90A-07/30	PR2091420	1
AC05/25	PR2091400	1	AK2/1.5	PR2090360	1	90A-10/30	PR2091430	1
AC07/25	PR2091410	1	AK20/3	PR2090430	1	90A-15/30	PR2091440	1
AC07/30	PR2091420	1	AK20/30	PR2091450	1	90A-20/30	PR2091450	1
AC10/3	PR2090410	1	AK3/1	PR2090350	1	90A-30/30	PR2091460	1
AC10/30	PR2091430	1	AK3/1.5	PR2090361	1	90A-30/50	PR2061470	1
AC15/3	PR2090420	1	AK30/3	PR2090440	1	90V-02/05	PR2090980	1
AC15/30	PR2091440	1	AK30/30	PR2091460	1	90V-02/10	PR2091000	1
AC2/1.5	PR2090360	1	AK30/5	PR2090450	1	90V-03/05	PR2090990	1
AC20/10	PR2091360	1	AK30/50	PR2091470	1	90V-03/10	PR2091010	1
AC20/3	PR2090430	1	AK4/1.5	PR2090370	1	90V-04/10	PR2091015	1
AC20/30	PR2091450	1	AK4/2.5	PR2090380	1	90V-04/20	PR2091020	1
AC3/1	PR2090350	1	AK5/2.5	PR2090390	1	90V-05/20	PR2091030	1
AC3/1.5	PR2090361	1	AK5/3	PR2090400	1	90V-05/25	PR2091040	1
AC30/3	PR2090440	1	80A-02/1.5	PR2090360	1	90V-07/25	PR2091050	1
AC30/30	PR2091460	1	80A-03/1	PR2090350	1	90V-07/30	PR2091060	1
AC30/5	PR2090450	1	80A-03/1.5	PR2090361	1	90V-10/30	PR2091070	1
AC4/1.5	PR2090370	1	80A-04/1.5	PR2090370	1	90V-15/30	PR2091080	1
AC4/2.5	PR2090380	1	80A-04/2.5	PR2090380	1	90V-20/30	PR2091090	1
AC5/2.5	PR2090390	1	80A-05/2.5	PR2090390	1	90V-30/30	PR2091100	1
AC5/3	PR2090400	1	80A-05/3	PR2090400	1	90V-30/50	PR2091110	1
AK02/05	PR2091355	1	80A-10/3	PR2090410	1			
AK02/10	PR2091360	1	80A-15/3	PR2090420	1			
AK03/05	PR2091356	1	80A-20/3	PR2090430	1			
AK03/10	PR2091370	1	80A-30/3	PR2090440	1			
AK04/10	PR2091375	1	80A-30/5	PR2090450	1			
AK04/20	PR2091380	1	90A-02/05	PR2091355	1			
AK05/20	PR2091390	1	90A-02/10	PR2091360	1			
AK05/25	PR2091400	1	90A-03/05	PR2091356	1			
General Purpose Elements								
9.2111.0	PR2091010	1	MF07/30	PR2091180	1	V-SB5/2.5	PR2090588	1
9.2112.0	PR2091020	1	MF10/3	PR2090290	1	V-SB5/3	PR2090590	1
9.2113.0	PR2091030	1	MF10/30	PR2091190	1	80V-02/1.5	PR2090563	1
9.2114.0	PR2091040	1	MF15/3	PR2090300	1	80V-03/1	PR2090565	1
9.2115.0	PR2091050	1	MF15/30	PR2091200	1	80V-03/1.5	PR2090566	1
9.2116.0	PR2091060	1	MF2/1.5	PR2090230	1	80V-04/1.5	PR2090570	1
9.2117.0	PR2091070	1	MF20/3	PR2090310	1	80V-04/2.5	PR2090580	1
9.2118.0	PR2091080	1	MF20/30	PR2091210	1	80V-05/2.5	PR2090588	1
9.2119.0	PR2091090	1	MF3/1	PR2090220	1	80V-05/3	PR2090590	1
9.2120.0	PR2091100	1	MF3/1.5	PR2090240	1	80V-20/3	PR2090620	1
9.2121.0	PR2091110	1	MF30/3	PR2090320	1	80V-30/3	PR2090630	1
9.2122.0	PR2090980	1	MF30/30	PR2091220	1	80V-30/5	PR2090640	1
9.2123.0	PR2090990	1	MF30/5	PR2090340	1	80XP-02/1.5	PR2090230	1

OEM Ref.	PAR<>FIT Ref.	Qty
9.2124.0	PR2091015	1
9.2136.0	PR2091250	1
9.2137.0	PR2091260	1
9.2138.0	PR2091270	1
9.2139.0	PR2091280	1
9.2140.0	PR2091290	1
9.2141.0	PR2091300	1
9.2142.0	PR2091310	1
9.2143.0	PR2091320	1
9.2144.0	PR2091330	1
9.2145.0	PR2091340	1
9.2146.0	PR2091350	1
9.2147.0	PR2091235	1
9.2148.0	PR2091236	1
9.2149.0	PR2091255	1
9.2161.0	PR2091370	1
9.2162.0	PR2091380	1
9.2163.0	PR2091390	1
9.2164.0	PR2091400	1
9.2165.0	PR2091410	1
9.2166.0	PR2091420	1
9.2167.0	PR2091430	1
9.2168.0	PR2091440	1
9.2169.0	PR2091450	1
9.2170.0	PR2091460	1
9.2171.0	PR2091470	1
9.2172.0	PR2091355	1
9.2173.0	PR2091356	1
9.2174.0	PR2091375	1
AO02/05	PR2091115	1
AO02/10	PR2091120	1
AO03/05	PR2091116	1
AO03/10	PR2091130	1
AO04/10	PR2091135	1
AO04/20	PR2091140	1
AO05/20	PR2091150	1
AO05/25	PR2091160	1
AO07/25	PR2091170	1
AO07/30	PR2091180	1
AO10/3	PR2090290	1
AO10/30	PR2091190	1
AO15/30	PR2091200	1
AO20/3	PR2090310	1
AO20/30	PR2091210	1
AO30/3	PR2090320	1
AO30/30	PR2091220	1
AO30/5	PR2090340	1
AO30/50	PR2091230	1
MF/FF02/05	PR2091115	1
MF/FF02/10	PR2091120	1
MF/FF03/05	PR2091116	1


OEM Ref.	PAR<>FIT Ref.	Qty
MF30/50	PR2091230	1
MF4/1.5	PR2090250	1
MF4/2.5	PR2090260	1
MF5/2.5	PR2090270	1
MF5/3	PR2090280	1
PE/V-PE02/10	PR2091000	1
PE/V-PE03/05	PR2090990	1
PE/V-PE03/10	PR2091010	1
PE/V-PE04/10	PR2091015	1
PE/V-PE04/20	PR2091020	1
PE/V-PE05/20	PR2091030	1
PE/V-PE05/25	PR2091040	1
PE/V-PE07/25	PR2091050	1
PE/V-PE07/30	PR2091060	1
PE/V-PE10/30	PR2091070	1
PE/V-PE15/30	PR2091080	1
PE/V-PE20/30	PR2091090	1
PE/V-PE30/30	PR2091100	1
PE/V-PE30/50	PR2091110	1
PE02/05	PR2090980	1
PE02/10	PR2091000	1
PE03/05	PR2090990	1
PE03/10	PR2091010	1
PE04/10	PR2091015	1
PE04/20	PR2091020	1
PE05/20	PR2091030	1
PE05/25	PR2091040	1
PE07/25	PR2091050	1
PE07/30	PR2091060	1
PE10/30	PR2091070	1
PE15/30	PR2091080	1
PE20/30	PR2091090	1
PE30/30	PR2091100	1
PE30/50	PR2091110	1
PF02/05	PR2090980	1
PF02/10	PR2091000	1
PF03/05	PR2090990	1
PF03/10	PR2091010	1
PF04/10	PR2091015	1
PF04/20	PR2091020	1
PF05/20	PR2091030	1
PF05/25	PR2091040	1
PF07/25	PR2091050	1
PF07/30	PR2091060	1
PF10/30	PR2091070	1
PF15/30	PR2091080	1
PF2/1.5	PR2090563	1
PF20/30	PR2091090	1
PF3/1	PR2090565	1
PF3/1.5	PR2090566	1
PF30/3	PR2090630	1

OEM Ref.	PAR<>FIT Ref.	Qty
AO15/3	PR2090300	1
AO2/1.5	PR2090230	1
AO3/1	PR2090220	1
AO3/1.5	PR2090240	1
AO4/1.5	PR2090250	1
AO4/2.5	PR2090260	1
AO5/2.5	PR2090270	1
AO5/3	PR2090280	1
MA02/05	PR2091115	1
MA02/10	PR2091120	1
MA03/05	PR2091116	1
MA03/10	PR2091130	1
MA05/25	PR2091160	1
MA07/25	PR2091170	1
MA10/3	PR2090290	1
MA10/30	PR2091190	1
MA15/3	PR2090300	1
MA15/30	PR2091200	1
MA2/1.5	PR2090230	1
MA20/3	PR2090310	1
MA20/30	PR2091210	1
MA3/1	PR2090220	1
MA3/1.5	PR2090240	1
MA30/3	PR2090320	1
MA30/30	PR2091220	1
MA30/5	PR2090340	1
MA30/50	PR2091230	1
MA4/1.5	PR2090250	1
MA4/2.5	PR2090260	1
MA5/2.5	PR2090270	1
MA5/3	PR2090280	1
PE/V-PE02/05	PR2090980	1
SB02/05	PR2090980	1
SB02/10	PR2091000	1
SB03/05	PR2090990	1
SB03/10	PR2091010	1
SB04/10	PR2091015	1
SB04/20	PR2091020	1
SB05/20	PR2091030	1
SB05/25	PR2091040	1
SB07/25	PR2091050	1
SB07/30	PR2091060	1
SB10/30	PR2091070	1
SB15/30	PR2091080	1
SB20/30	PR2091090	1
SB30/30	PR2091100	1
SB30/50	PR2091110	1
V20/3	PR2090620	1
VA02/05	PR2090980	1
VA03/05	PR2090990	1
VA03/10	PR2091010	1

OEM Ref.	PAR<>FIT Ref.	Qty	OEM Ref.	PAR<>FIT Ref.	Qty	OEM Ref.	PAR<>FIT Ref.	Qty
MF/FF03/10	PR2091130	1	PF30/30	PR2091100	1	VA04/20	PR2091020	1
MF/FF04/10	PR2091135	1	PF30/5	PR2090640	1	VA05/25	PR2091040	1
MF/FF04/20	PR2091140	1	PF30/50	PR2091110	1	VA07/25	PR2091050	1
MF/FF05/20	PR2091150	1	PF4/1.5	PR2090570	1	VA10/30	PR2091070	1
MF/FF05/25	PR2091160	1	PF4/2.5	PR2090580	1	VA15/30	PR2091080	1
MF/FF07/25	PR2091170	1	PF5/2.5	PR2090588	1	VA2/1.5	PR2090563	1
MF/FF07/30	PR2091180	1	PF5/3	PR2090590	1	VA20/3	PR2090620	1
MF/FF10/30	PR2091190	1	V-2/1.5	PR2090563	1	VA20/30	PR2091090	1
MF/FF15/30	PR2091200	1	V-3/1	PR2090565	1	VA3/1.5	PR2090566	1
MF/FF20/30	PR2091210	1	V-3/1.5	PR2090566	1	VA30/3	PR2090630	1
MF/FF30/30	PR2091220	1	V-30/3	PR2090630	1	VA30/30	PR2091100	1
MF/FF30/50	PR2091230	1	V-30/5	PR2090640	1	VA30/5	PR2090640	1
MF02/05	PR2091115	1	V-4/1.5	PR2090570	1	VA30/50	PR2091110	1
MF02/10	PR2091120	1	V-4/2.5	PR2090580	1	VA4/1.5	PR2090570	1
MF03/05	PR2091116	1	V-5/2.5	PR2090588	1	VA4/2.5	PR2090580	1
MF03/10	PR2091130	1	V-5/3	PR2090590	1	VA5/2.5	PR2090588	1
MF04/10	PR2091135	1	V-PE15/30	PR2091080	1	VA5/3	PR2090590	1
MF04/20	PR2091140	1	V-PE20/3	PR2090620	1	V-PE2/1.5	PR2090563	1
MF05/20	PR2091150	1	V-PE30/3	PR2090630	1	V-PE3/1.5	PR2090566	1
MF05/25	PR2091160	1	V-PE30/5	PR2090640	1	V-PE4/1.5	PR2090570	1
MF07/25	PR2091170	1	V-PE5/3	PR2090590	1	V-PE4/2.5	PR2090580	1
V-PE5/2.5	PR2090588	1	V-SB3/1.5	PR2090566	1	V-SB4/1.5	PR2090570	1
V-SB2/1.5	PR2090563	1	V-SB30/3	PR2090630	1	V-SB4/2.5	PR2090580	1
V-SB20/3	PR2090620	1	V-SB30/5	PR2090640	1			
High Efficiency Elements								
AA02/05	PR2091235	1	AA5/3	PR2090150	1	SMF5/2.5	PR2090140	1
AA02/10	PR2091240	1	SMF02/05	PR2091235	1	SMF5/3	PR2090150	1
AA03/05	PR2091236	1	SMF02/10	PR2091240	1	PF20/3	PR2090620	1
AA03/10	PR2091250	1	SMF03/05	PR2091236	1	SA02/05	PR2091235	1
AA04/10	PR2091255	1	SMF03/10	PR2091250	1	SA03/05	PR2091236	1
AA04/20	PR2091260	1	SMF04/10	PR2091255	1	SA03/10	PR2091250	1
AA05/20	PR2091270	1	SMF04/20	PR2091260	1	SA04/20	PR2091260	1
AA05/25	PR2091280	1	SMF05/20	PR2091270	1	SA05/25	PR2091280	1
AA07/25	PR2091290	1	SMF05/25	PR2091280	1	SA07/25	PR2091290	1
AA07/30	PR2091300	1	SMF07/25	PR2091290	1	SA10/3	PR2090160	1
AA10/3	PR2090160	1	SMF07/30	PR2091300	1	SA10/30	PR2091310	1
AA10/30	PR2091310	1	SMF10/3	PR2090160	1	SA15/3	PR2090170	1
AA15/3	PR2090170	1	SMF10/30	PR2091310	1	SA15/30	PR2091320	1
AA15/30	PR2091320	1	SMF15/3	PR2090170	1	SA20/3	PR2090180	1
AA20/20	PR2091330	1	SMF15/30	PR2091320	1	SA20/30	PR2091330	1
AA20/3	PR2090180	1	SMF20/3	PR2090180	1	SA3/1	PR2090100	1
AA3/1	PR2090100	1	SMF20/30	PR2091330	1	SA3/1.5	PR2090115	1
AA3/1.5	PR2090115	1	SMF3/1	PR2090100	1	SA30/3	PR2090190	1
AA30/3	PR2090190	1	SMF3/1.5	PR2090115	1	SA30/30	PR2091340	1
AA30/30	PR2091340	1	SMF30/3	PR2090190	1	SA30/5	PR2090210	1
AA30/5	PR2090210	1	SMF30/30	PR2091340	1	SA30/50	PR2091350	1
AA30/50	PR2091350	1	SMF30/5	PR2090210	1	SA4/1.5	PR2090120	1
AA4/1.5	PR2090120	1	SMF30/50	PR2091350	1	SA4/2.5	PR2090130	1
AA4/2.5	PR2090130	1	SMF4/1.5	PR2090120	1	SA5/2.5	PR2090140	1
AA5/2.5	PR2090140	1	SMF4/2.5	PR2090130	1	SA5/3	PR2090150	1

Can't find what your looking for?
Please visit www.parker.com/parfit

Weights and Dimensions



OEM Size	Dimension mm (ins)									Weight	
	A		B		Thread	C		H			
	mm	ins	mm	ins		mm	ins	mm	ins	kg	lbs
2/1.5	52	2.0	79	3.1	WI 1½ o	-	-	-	-	0.1	0.2
3/1	42	1.7	89	3.5	G 1 o	-	-	-	-	0.1	0.2
3/1.5	52	2.0	93	3.7	WI 1½ o	-	-	-	-	0.14	0.3
4/1.5	52	2.0	125	4.9	WI 1½ o	-	-	-	-	0.16	0.4
4/2.5	62	2.4	125	4.9	G 1 o	-	-	-	-	0.21	0.5
5/2.5	62	2.4	152	4.9	G 1 o	-	-	-	-	0.23	0.5
5/3	86	3.4	152	4.9	G 1 o	-	-	-	-	0.43	0.9
7/3	86	3.4	205	8.1	G 1 o	-	-	-	-	0.5	1.1
10/3	86	3.4	279	11.0	G 1 o	-	-	-	-	0.59	1.3
12/3	86	3.4	330	13.0	G 1 o	-	-	-	-	0.66	1.5
15/3	86	3.4	391	15.4	-	56	2.2	13.5 i	0.5	0.71	1.6
20/3	86	3.4	519	20.4	-	56	2.2	13.5 i	0.5	0.88	1.9
30/3	86	3.4	771	30.4	-	56	2.2	13.5 i	0.5	1.2	2.6
30/5	140	5.5	771	30.4	-	56	2.2	13.5 i	0.5	2.5	5.5
02/05	35	1.4	76	3.0	G ¾ o	-	-	-	-	0.08	0.2
02/10	42	1.7	94	3.7	G ¾ o	-	-	-	-	0.1	0.2
03/05	35	1.4	90	3.5	G ¾ o	-	-	-	-	0.1	0.2
03/10	42	1.7	94	3.7	G ¾ o	-	-	-	-	0.1	0.2
04/10	42	1.7	122	4.8	G ¾ o	-	-	-	-	0.12	0.3
04/20	52	2.0	128	5.0	G 1 o	-	-	-	-	0.17	0.4
05/20	52	2.0	150	5.9	G 1 o	-	-	-	-	0.19	0.4
05/25	62	2.4	151	5.9	G 1 o	-	-	-	-	0.23	0.5
07/25	62	2.4	204	8.0	G 1 o	-	-	-	-	0.28	0.6
07/30	86	3.4	206	8.1	G 2 o	-	-	-	-	0.5	1.1
10/30	86	3.4	280	11.0	G 2 o	-	-	-	-	0.59	1.3
15/30	86	3.4	397	15.6	-	61	2.4	13.5 i	0.5	0.74	1.6
20/30	86	3.4	525	20.7	-	61	2.4	13.5 i	0.5	0.91	2.0
30/30	86	3.4	777	30.6	-	61	2.4	13.5 i	0.5	1.2	2.6
30/50	140	5.5	777	30.6	-	89	3.5	13.5 i	0.5	2.45	5.4

Parker Worldwide

Europe, Middle East, Africa

AE – United Arab Emirates, Dubai
Tel: +971 4 8127100
parker.me@parker.com

AT – Austria, Wiener Neustadt
Tel: +43 (0)2622 23501-0
parker.austria@parker.com

AT – Eastern Europe, Wiener Neustadt
Tel: +43 (0)2622 23501 900
parker.easteurope@parker.com

AZ – Azerbaijan, Baku
Tel: +994 50 2233 458
parker.azerbaijan@parker.com

BE/LU – Belgium, Nivelles
Tel: +32 (0)67 280 900
parker.belgium@parker.com

BY – Belarus, Minsk
Tel: +375 17 209 9399
parker.belarus@parker.com

CH – Switzerland, Etoy
Tel: +41 (0)21 821 87 00
parker.switzerland@parker.com

CZ – Czech Republic, Klecany
Tel: +420 284 083 111
parker.czechrepublic@parker.com

DE – Germany, Kaarst
Tel: +49 (0)2131 4016 0
parker.germany@parker.com

DK – Denmark, Ballerup
Tel: +45 43 56 04 00
parker.denmark@parker.com

ES – Spain, Madrid
Tel: +34 902 330 001
parker.spain@parker.com

FI – Finland, Vantaa
Tel: +358 (0)20 753 2500
parker.finland@parker.com

FR – France, Contamine s/Arve
Tel: +33 (0)4 50 25 80 25
parker.france@parker.com

GR – Greece, Athens
Tel: +30 210 933 6450
parker.greece@parker.com

HU – Hungary, Budapest
Tel: +36 1 220 4155
parker.hungary@parker.com

IE – Ireland, Dublin
Tel: +353 (0)1 466 6370
parker.ireland@parker.com

IT – Italy, Corsico (MI)
Tel: +39 02 45 19 21
parker.italy@parker.com

KZ – Kazakhstan, Almaty
Tel: +7 7272 505 800
parker.easteurope@parker.com

NL – The Netherlands, Oldenzaal
Tel: +31 (0)541 585 000
parker.nl@parker.com

NO – Norway, Asker
Tel: +47 66 75 34 00
parker.norway@parker.com

PL – Poland, Warsaw
Tel: +48 (0)22 573 24 00
parker.poland@parker.com

PT – Portugal, Leca da Palmeira
Tel: +351 22 999 7360
parker.portugal@parker.com

RO – Romania, Bucharest
Tel: +40 21 252 1382
parker.romania@parker.com

RU – Russia, Moscow
Tel: +7 495 645-2156
parker.russia@parker.com

SE – Sweden, Spånga
Tel: +46 (0)8 59 79 50 00
parker.sweden@parker.com

SK – Slovakia, Banská Bystrica
Tel: +421 484 162 252
parker.slovakia@parker.com

SL – Slovenia, Novo Mesto
Tel: +386 7 337 6650
parker.slovenia@parker.com

TR – Turkey, Istanbul
Tel: +90 216 4997081
parker.turkey@parker.com

UA – Ukraine, Kiev
Tel: +380 44 494 2731
parker.ukraine@parker.com

UK – United Kingdom, Warwick
Tel: +44 (0)1926 317 878
parker.uk@parker.com

ZA – South Africa, Kempton Park
Tel: +27 (0)11 961 0700
parker.southafrica@parker.com

North America

CA – Canada, Milton, Ontario
Tel: +1 905 693 3000

US – USA, Cleveland
Tel: +1 216 896 3000

Asia Pacific

AU – Australia, Castle Hill
Tel: +61 (0)2-9634 7777

CN – China, Shanghai
Tel: +86 21 2899 5000

HK – Hong Kong
Tel: +852 2428 8008

IN – India, Mumbai
Tel: +91 22 6513 7081-85

JP – Japan, Tokyo
Tel: +81 (0)3 6408 3901

KR – South Korea, Seoul
Tel: +82 2 559 0400

MY – Malaysia, Shah Alam
Tel: +60 3 7849 0800

NZ – New Zealand, Mt Wellington
Tel: +64 9 574 1744

SG – Singapore
Tel: +65 6887 6300

TH – Thailand, Bangkok
Tel: +662 186 7000-99

TW – Taiwan, Taipei
Tel: +886 2 2298 8987

South America

AR – Argentina, Buenos Aires
Tel: +54 3327 44 4129

BR – Brazil, Sao Jose dos Campos
Tel: +55 800 727 5374

CL – Chile, Santiago
Tel: +56 2 623 1216

MX – Mexico, Apodaca
Tel: +52 81 8156 6000

European Product Information Centre

Free phone: 00 800 27 27 5374

(from AT, BE, CH, CZ, DE, DK, EE, ES, FI, FR, IE, IL, IS, IT, LU, MT, NL, NO, PL, PT, RU, SE, SK, UK, ZA)

Parker Hannifin Manufacturing Limited

domnick hunter Filtration and Separation Division
Dukesway, Team Valley Trading Est
Gateshead, Tyne and Wear
England NE11 0PZ
Tel: +44 (0) 191 402 9000
Fax: +44 (0) 191 482 6296
www.parker.com/dhfn

